

TEST REPORT

E-mail: info@janoshik.comWeb: www.janoshik.com

Task Number #231495

Testing ordered > 07 SEP '26

Sample received > 22 SEP '26

Client Helix Group Testing

Sample RT30-Sample 7

Manufacturer Austin

Batch 2026.08-TD-RT30

Sample description >

See picture or pictures attached.

Tests requested >

Common GLP-1 peptide blind test (Semaglutide, Tirzepatide and Retatrutide)

Results >



Retatrutide	34.14 mg
Purity	99.702%

Comments >

Analysis conducted > 25 SEP 2026

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

6UUK6IFLMEC2






Analysis Report

<Sample Information>

Sample Name : 30791-7 Reta 30mg
Sample ID : 015
Data Filename : 30791-7 Reta 30mg _001.lcd
Method Filename : C18- GLP1.lcm
Batch Filename : 24_09_2026_01.lcb
Vial # : 1-14
Injection Volume : 0.5 uL
Date Acquired : 24/09/2026 12:41:10
Date Processed : 25/09/2026 11:10:42

Sample Type : Unknown
Acquired by : System Administrator
Processed by : System Administrator

<Chromatogram>



<Peak Table>

PDA Ch1 280nm					
Peak#	Ret. Time	Area	Conc.	Unit	Name
1	4.775	371	0.00		
2	4.843	282562	34.14	mg	Retatrutide
3	4.925	472	0.00		
Total		283406			
					Area%
					0.131
					99.702
					0.167
					100.000